



STORIE

Look
Collection





R8FM Look Bianco Glossy 6x24cm - RCTZ Look Verde Glossy 6x24cm - RCU8 Look Verde Struttura 3D Yubi Glossy 6x24cm - RCWS Ceppo Grigio Strutturato Rt 120x120cm

Look

The range of the Look collection, made unique by its tiny flaws and subtle variations in color that underline its material, is now extended with three new shades and a decor with a relief structure applied to selected colored plain tiles. Memory and tradition are embodied in exquisite small surfaces reinterpreted in contemporary taste. Hand-craftsmanship and bright glazes create interplays of light on surfaces that add vibrant warmth and personality to interiors.



R53H Boom Luce Rt 75x75cm - R8FQ Look Avio Glossy 6x24cm



RCFK Stratford Dark Grey Natural Rt 120x278cm - RCTZ Look Verde Glossy 6x24cm - RCWX Ceppo Grigio Rt 60x120cm - RCX3 Ceppo Grigio Strutturato Rt 60x120cm



R8XA Stratford White Rt 120x120cm - RCFP Stratford White Natural Rt 120x278cm - RCU2 Look Bianco Struttura 3D Yubi Glossy 6x24cm



RCFP Stratford White Natural Rt 120x278cm - RCU1 Look Lino Glossy 6x24cm - RCU8 Look Verde Struttura 3D Yubi Glossy 6x24cm - RCUY Stoneplay Mayenne Beige Rt 100x100cm



RCU9 Look Avio Struttura 3D Yubi Glossy 6x24cm




R8FM Look Bianco Glossy 6x24cm - RCU5 Look Oliva Struttura 3D Yubi Glossy 6x24cm



R8XD Stratford Dark Grey Rt 120x120cm - RCFK Stratford Dark Grey Natural Rt 120x278cm - RCU9 Look Avio Struttura 3D Yubi Glossy 6x24cm



R8FP Look Beige Glossy 6x24cm



R8FS Look Oliva Glossy 6x24cm



R7GL Maiora_Concrete Effect Bianco Natural Rettificato 120x278cm - R8FP Look Beige Glossy 6x24cm



RCU9 Look Avio Struttura 3D Yubi Glossy 6x24cm - RCXN Ceppo Bianco Rt 90x180cm



RCU0 Look Turchese Glossy 6x24cm - RCU3 Look Turchese Struttura 3D Yubi Glossy 6x24cm - RCVP Stoneplay Cliff Grey Rt 60x120cm - RCWV Stoneplay Cliff Grey Strutturato Rt 60x120cm



LOOK COLLECTION

LOOK COLLECTION

R8FR Look Blu Glossy 6x24cm - RCYQ Ceppo Xt20 Bianco Rt 60x120cm - RD1N Ceppo Xt20 Bianco Elemento L Rt 15x120cm



LOOK COLLECTION

LOOK COLLECTION

RADZ Inedito Cenere Rt 20x120cm - RCFK Stratford Dark Grey Natural Rt 120x278cm - RCUA Look Blu Struttura 3D Yubi Glossy 6x24cm



RCFJ Stratford Clay Natural Rt 120x278cm - RCU1 Look Lino Glossy 6x24cm - RCU4 Look Lino Struttura 3D Yubi Glossy 6x24cm - RCXL Ceppo Beige Rt 90x180cm



R8FN Look Nero Glossy 6x24cm



R8FR Look Blu Glossy 6x24cm



R8FR Look Blu Glossy 6x24cm



R8FT Look Ocra Glossy 6x24cm



R8FP Look Beige Glossy 6x24cm - R8GD Mélange Acquamarina Glossy 10x10cm



R8FM Look Bianco Glossy 6x24cm




LOOK COLLECTION

LOOK COLLECTION

R8FP Look Beige Glossy 6x24cm

Porcelain Stoneware



Avio

| Size | Superficie | Code | Description | Thikness | Rett. | Caratteristiche tecniche | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V | Premium Tech. | Scatole | Mq | Kg | Pallet | Mq | Kg |
|--------|------------|------|------------------|----------|-------|--------------------------|-----|---|-----|----------------|---------------|---------------------|------|--------------------|----|---------------|---------|------|------|--------|-------|--------|
| 6x24cm | Glossy | R8FQ | Look Avio Glossy | MM 10 | | | | | | | | | | F | V2 | | 36 | 0,52 | 9,95 | 95 | 49,25 | 945,44 |



Beige


| Size | Superficie | Code | Description | Thikness | Rett. | Caratteristiche tecniche | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V | Premium Tech. | Scatole | Mq | Kg | Pallet | Mq | Kg |
|--------|------------|------|-------------------|----------|-------|--------------------------|-----|---|-----|----------------|---------------|---------------------|------|--------------------|----|---------------|---------|------|------|--------|-------|--------|
| 6x24cm | Glossy | R8FP | Look Beige Glossy | MM 10 | | | | | | | | | | F | V3 | | 36 | 0,52 | 9,77 | 95 | 49,25 | 927,98 |



Bianco

| Size | Superficie | Code | Description | Thikness | Rett. | Caratteristiche tecniche | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V | Premium Tech. | Scatole | Mq | Kg | Pallet | Mq | Kg |
|--------|------------|------|--------------------|----------|-------|--------------------------|-----|---|-----|----------------|---------------|---------------------|------|--------------------|----|---------------|---------|------|------|--------|-------|--------|
| 6x24cm | Glossy | R8FM | Look Bianco Glossy | MM 10 | | | | | | | | | | F | V2 | | 36 | 0,52 | 9,64 | 95 | 49,25 | 916,24 |

Porcelain Stoneware




Blu

| Size | Superficie | Code | Description | Thikness | Rett. | Caratteristiche tecniche | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V | Premium Tech. | Scatole | Mq | Kg | Pallet | Mq | Kg |
|--------|------------|------|-----------------|----------|-------|--------------------------|-----|---|-----|----------------|---------------|---------------------|------|--------------------|----|---------------|---------|------|------|--------|-------|--------|
| 6x24cm | Glossy | R8FR | Look Blu Glossy | MM 10 | | | | | | | | | | F | V3 | | 36 | 0,52 | 9,93 | 95 | 49,25 | 943,63 |



Lino

| Size | Superficie | Code | Description | Thikness | Rett. | Caratteristiche tecniche | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V | Premium Tech. | Scatole | Mq | Kg | Pallet | Mq | Kg |
|--------|------------|------|------------------|----------|-------|--------------------------|-----|---|-----|----------------|---------------|---------------------|------|--------------------|----|---------------|---------|------|------|--------|-------|--------|
| 6x24cm | Glossy | RCU1 | Look Lino Glossy | MM 10 | | | | | | | | | | F | V3 | | 36 | 0,52 | 9,85 | 95 | 49,25 | 936,10 |







Nero


| Size | Superficie | Code | Description | Thikness | Rett. | Caratteristiche tecniche | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V | Premium Tech. | Scatole | Mq | Kg | Pallet | Mq | Kg |
|--------|------------|------|------------------|----------|-------|--------------------------|-----|---|-----|----------------|---------------|---------------------|------|--------------------|----|---------------|---------|------|------|--------|-------|--------|
| 6x24cm | Glossy | R8FN | Look Nero Glossy | MM 10 | | | | | | | | | | F | V2 | | 36 | 0,52 | 9,87 | 95 | 49,25 | 937,88 |

Porcelain Stoneware







Odra

| Size | Superficie | Code | Description | Thikness | Rett. | Caratteristiche tecniche | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V | Premium Tech. | Scatole | Mq | Kg | Pallet | Mq | Kg |
|--------|------------|------|------------------|----------|-------|--|---|---|-----|----------------|---------------|---------------------|------|--------------------|----|---------------|---------|------|------|--------|-------|--------|
| 6x24cm | Glossy | R8FT | Look Odra Glossy | MM 10 | |   |   | | | | | | | F | V2 | | 36 | 0,52 | 9,85 | 95 | 49,25 | 935,74 |







Oliva


| Size | Superficie | Code | Description | Thikness | Rett. | Caratteristiche tecniche | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V | Premium Tech. | Scatole | Mq | Kg | Pallet | Mq | Kg |
|--------|------------|------|-------------------|----------|-------|--|---|---|-----|----------------|---------------|---------------------|------|--------------------|----|---------------|---------|------|------|--------|-------|--------|
| 6x24cm | Glossy | R8FS | Look Oliva Glossy | MM 10 | |   |   | | | | | | | F | V3 | | 36 | 0,52 | 9,64 | 95 | 49,25 | 915,56 |







Turchese


| Size | Superficie | Code | Description | Thikness | Rett. | Caratteristiche tecniche | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V | Premium Tech. | Scatole | Mq | Kg | Pallet | Mq | Kg |
|--------|------------|------|----------------------|----------|-------|--|---|---|-----|----------------|---------------|---------------------|------|--------------------|----|---------------|---------|------|------|--------|-------|--------|
| 6x24cm | Glossy | RCU0 | Look Turchese Glossy | MM 10 | |   |   | | | | | | | F | V3 | | 36 | 0,52 | 9,89 | 95 | 49,25 | 939,31 |

Porcelain Stoneware
























Verde



| Size | Superficie | Code | Description | Thikness | Rett. | Caratteristiche tecniche | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V | Premium Tech. | Scatole | Mq | Kg | Pallet | Mq | Kg |
|--------|------------|------|-------------------|----------|-------|--|---|---|-----|----------------|---------------|---------------------|------|--------------------|----|---------------|---------|------|------|--------|-------|--------|
| 6x24cm | Glossy | RCTZ | Look Verde Glossy | MM 10 | |   |   | | | | | | | F | V3 | | 36 | 0,52 | 9,94 | 95 | 49,25 | 944,72 |



Yubi 3D

| Size | Superficie | Code | Description | Thikness | Rett. | Caratteristiche tecniche | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V | Premium Tech. | Scatole | Mq | Kg | Pallet | Mq | Kg |
|--------|------------|------|--|----------|-------|--|---|---|-----|----------------|---------------|---------------------|------|--------------------|----|---------------|---------|------|-------|--------|-------|----------|
| 6x24cm | Glossy | RCU2 | Look Bianco Struttura 3d Yubi Glossy | MM 13,5 | |   |  | | | | | | | | V2 | | 50 | 0,72 | 19,53 | 60 | 43,20 | 1.171,68 |
| 6x24cm | Glossy | RCU3 | Look Turchese Struttura 3d Yubi Glossy | MM 13,5 | |   |  | | | | | | | | V3 | | 50 | 0,72 | 19,50 | 60 | 43,20 | 1.170,10 |
| 6x24cm | Glossy | RCU4 | Look Lino Struttura 3d Yubi Glossy | MM 13,5 | |   |  | | | | | | | | V3 | | 50 | 0,72 | 19,61 | 60 | 43,20 | 1.176,79 |
| 6x24cm | Glossy | RCU5 | Look Oliva Struttura 3d Yubi Glossy | MM 13,5 | |   |  | | | | | | | | V3 | | 50 | 0,72 | 19,72 | 60 | 43,20 | 1.182,91 |
| 6x24cm | Glossy | RCU8 | Look Verde Struttura 3d Yubi Glossy | MM 13,5 | |   |  | | | | | | | | V3 | | 50 | 0,72 | 19,45 | 60 | 43,20 | 1.166,94 |
| 6x24cm | Glossy | RCU9 | Look Avio Struttura 3d Yubi Glossy | MM 13,5 | |   |  | | | | | | | | V2 | | 50 | 0,72 | 19,44 | 60 | 43,20 | 1.166,62 |
| 6x24cm | Glossy | RCUA | Look Blu Struttura 3d Yubi Glossy | MM 13,5 | |   |  | | | | | | | | V3 | | 50 | 0,72 | 19,52 | 60 | 43,20 | 1.171,37 |

Caratteristiche Tecniche

-  Frost proof
-  Resistance deep abrasion

Destinazioni d'uso

D
 Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

E
 Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

F
 Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

Variazioni cromatiche

V0
 Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

V1
 Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

V2
 Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run






















G
 Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.


H
 Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

V3
 Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

V4
 Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

Certificazioni

| | | | | | | | |
|---|---|---|---|---|--|--|--|
|  ISO 14001 |  ISO 50001 |  ISO 45001 |  ISO 9001 |  Green Building Council |  GPP |  EPD Italy |  ISO 17889-1 |
|  Greenguard |  LEED Credits |  FDES |  Declare |  HPD |  CAM Ubersetto |  CCC |  CAM Fiorano |
|  CE 001MRZI |  CE 009MRZI |  UKCA 00 1MRZUK |  UKCA 00 9MRZUK |  SASO | | | |



© Copyright by Ragno – Marazzi Group S.r.l. 2024. All Rights Reserved Marazzi Group Srl a Socio Unico Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@ragno.it
www.ragno.it

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic firing process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

PDF GENERATED AUTOMATICALLY ON 18/05/2026

RAGNO 